



PRODUCT CATALOGUE





Index

| Entry Segment | |
|--|----|
| HF 100 | 06 |
| HF Deluxe | 08 |
| Deluxe Segment | |
| Splendor+ | 12 |
| Splendor+ XTEC | 14 |
| Passion + | 16 |
| Passion XTEC | 18 |
| 125cc Segment | |
| Super Splendor | 22 |
| Super Splendor XTEC | 24 |
| Glamour | 26 |
| Glamour XTEC | 28 |
| Premium Segment | |
| Xtreme 160R | 32 |
| Xtreme 160R 4V | 34 |
| Xtreme 200S 4V | 36 |
| XPulse 200 4V | 38 |
| XPulse 200T 4V | 40 |
| Karizma XMR | 42 |
| Scooter Segment | |
| Pleaseure+ XTEC | 46 |
| XOOM | 48 |
| Maestro Edge 125 | 50 |
| Destini Prime | 52 |
| Destini 125 XTEC | 54 |
| Hero Technology | |
| XSENS | 58 |
| Programmed Fi | 59 |
| Patented i3s Technology for Motorcycle | 60 |



Index

| Patented i3s Technology for Scooters | 61 |
|---|----|
| High Tensile Steel Trellis Frame | 62 |
| 4V Engine | 62 |
| Oil Cooled Engine | 62 |
| Liquid Cooled Engine | 63 |
| Dual Over Head Cam Shaft (DOHC) | 63 |
| 5-Speed Gearbox | 64 |
| Slip & Assist Clutch | 64 |
| Anti Lock Braking System | 65 |
| Dual Channel ABS | 65 |
| Side Stand Indicator with engine cutoff | 65 |
| USD Front Forks | 66 |
| LED Projector Headlamp | 66 |
| Corner Bending Light | 66 |
| Connect 2.0 | 67 |
| HERO SALES ENABLERS | |
| Retail Finance | 70 |
| Hero Sure | 73 |
| Exchange App Process | 74 |
| DIY Video | 75 |
| HERO VALUE ADDED SERVICES | |
| GoodLife | 78 |
| Joy Ride | 80 |
| Accessories | 81 |
| Merchandise | 82 |
| Roadside Assistance | 83 |





ENTRY SEGMENT



I-IF TOO Mileage ka hero









with XSENS Technology

Low Cost Of Ownership









Stylish Graphics & Black Theme

Nylon-6 Parts

| | | Specifications | |
|--------------|---------------|--|--|
| Displacement | | 97.2 cc | |
| IV | lax. Power | 5.9 kW @ 8000 rpm | |
| М | ax. Torque | 8.05 Nm @ 6000 rpm | |
| | Starting | Kick | |
| Frame Type | | Tubular Double Cradle | |
| Front | | Telescopic Hydraulic Shock Absorbers | |
| Suspension | Rear | Swing arm with 2 Step Adjustable Hydraulic Shock Absorbers | |
| Brakes | Front | Drum – Dia. 130 mm | |
| Diakes | Rear | Drum – Dia. 130 mm, Integrated Braking System | |
| Tyro Sizo | Front | 2.75 x 18 - 4 PR / 42 P | |
| Tyre Size | Rear | 2.75 x 18 - 6 PR / 48 P | |
| Fuel | Tank Capacity | 9.1 Ltrs. | |

Color **Options**







| SPECIFICATION | BENEFIT | HF 100 | BRAND A | BRAND B |
|-----------------------|---|---|--|--|
| | | ENGINE | | |
| Max power (kW @ RPM) | More powerful ride & | 5.9 @ 8000 | 5.8 @ 7500 | 3.20 @ 6000 |
| Max torque (Nm @ RPM) | better pick up | 8.05 @ 6000 | 8.3 @ 5500 | 6.5 @ 3500 |
| | | CHASSIS | | |
| Chassis | Enhanced Strength & Rigidity | Tubular Double Cradle | Tubular Single Down Tube with Lower Cradle Frame | N.A |
| | | DIMENSIONS | | |
| Length (mm) | | 1965 | 2006 | N.A |
| Width (mm) | | 720 | 713 | N.A |
| Height (mm) | | 1045 | 1100 | N.A |
| Wheelbase (mm) | Better Road Presence | 1235 | 1255 | 1228 |
| Seat Height (mm) | | 805 | 807 | N.A |
| Kerb Weight (Kg) | | 109 | 117 kg | Special Edition - 89 Kg / Comfort - 88 Kg |
| | | SUSPENSION | | |
| Rear | Adjust suspension basis the required stiffness and height | Swingarm with 2 Step Adjustable Hydraulic Shock Absorbers | 110 mm, Spring in Spring Suspension | Swing arm with hydraulic shocks |
| | | BRAKES | | |
| Front | Better Safety with shorter | 130mm Drum | 130 mm Drum | 110mm Drum |
| Rear | braking distance | 130mm Drum | 110 mm Drum with Anti-Skid Braking System | 110mm Drum (Sync) |
| | | WHEELS | | |
| Front | Comfortable ride even on | 2.75 x 18 - 4PR/42P | 2.75 x 17 41 P – Tube Type, Regular Tread Pattern | 2.5 x 16 41L 6PR |
| Rear | bad road patches | 2.75 x 18 - 6PR/48P | 3.00 x 17 50 P - Tube Type, Regular Tread Pattern | 2.5 x 16 41L 6PR |
| | | FEATURES | | |
| Utility Box | Additional smart space to store belongings | ✓ | × | x |

Brand A= BP100 | Brand B = TX100



HF- Deluxe

Mileage ka hero







Programmed Fuel Injection with XSENS Technology



i3s Technology









| Stylish Graphi | CS |
|----------------|----|
|----------------|----|

| Specifications | | | |
|----------------|---------------|---|--|
| Di | splacement | 97.2 cc | |
| IV | lax. Power | 5.9 kW @ 8000 rpm | |
| M | ax. Torque | 8.05 Nm @ 6000 rpm | |
| | Starting | Kick Start / Self Start | |
| | Gearbox | 4 Speed Constant Mesh | |
| Frame Type | | Tubular Double Cradle Frame | |
| Suspension | Front | Telescopic Hydraulic Shock Absorbers | |
| Suspension | Rear | 2 Step Adjustable Hydraulic Shock Absorbers | |
| Brakes | Front | Drum – Dia. 130 mm | |
| Rear | | Drum – Dia. 130 mm, Integrated Braking System | |
| Tyre Size | Front | 2.75 x 18 - 4 PR / 42 P | |
| Tyle Size | Rear | 2.75 x 18 - 6 PR / 48 P | |
| Fuel | Tank Capacity | 9.6 Ltrs. | |

Color **Options**



Sports Red

Black with Gold



Blaze

Heavy Grey

with Green





With Black







Purple





Canvas Black

Nexus Blue

Techno Blue



| | | | | | 1 | |
|-----------------------|---|--|---|-----------------------------------|-----------------------------|---|
| SPECIFICATION | BENEFIT | HF DELUXE | BRAND A | BRAND B | BRAND C | BRAND D |
| | | ENGINE | | | | |
| Max power (kW @ RPM) | More powerful ride & better | 5.9 @ 8000 | 5.8 @ 7500 | 6.47 @ 7500 | 5.43 @ 7500 | 6.1 @ 7350 |
| Max torque (Nm @ RPM) | pick up | 8.05 @ 6000 | 8.3 @ 5500 | 9.3 @ 5500 | 8.05 @ 5000 | 8.7 @ 4500 |
| | | CHASSIS | 8 | | | |
| | | | Tubular Single | | | |
| CHASSIS | Enhanced Strength & Rigidity | Tubular Double Cradle | Down Tube with Lower Cradle | Diamond Type | Diamond Type | Single Cradle Frame |
| | | DIMENSIO | Frame VS | | | |
| Length (mm) | | 1965 | 2006 | 2044 | 1955 | 1950 |
| Width (mm) | - | 720 | 713 | 736 | 754 | 705 |
| Seat Height (mm) | \dashv | 805 | 807 | N.A | 786 | N.A |
| Fuel Tank (L) | Better Road Presence | 9.6 | 11 | 9.1 | 9 | 10 |
| Kerb Weight (Kg) | | 110 (Kick Start) / 112 (Self Start) | 117 kg | 112 | 99 | 110 (Kick Start) / 112 (Self Start) |
| | | SUSPENSIO | ON | | | |
| Rear | Adjust suspension basis the required stiffness and height | Swingarm with 2 Step Adjustable Hydraulic Shock Absorbers | 110 mm, Spring in | Hydraulic Type | Twin | 5 step adjustable hydraulic shock absorber |
| | | BRAKES | 3 | | | |
| Rear | Better Safety with shorter braking distance | 130mm Drum | 110 mm Drum with Anti-Skid Braking System | 130mm Drum | 110mm Drum | 110mm Drum (Sync) |
| | | WHEELS | } | | | |
| Front | Comfortable ride even on bad | 2.75 x 18 - 42P | 2.75 x 17 41 P – Tube Type, Regular Tread Pattern | 80/100-18 M/C 47P, Tubeless | 2.75 - 17 41P, Tube Type | 2.75 - 17 41P |
| Rear | road patches | 2.75 x 18 - 48P | 3.00 x 17 50 P – Tube Type, Regular Tread Pattern | 80/100-18 M/C 54P, Tubeless | 3.00 - 17 50P, Tube Type | 3.0 - 17 50P |
| | | FEATURE | S | | | |
| i3S Technology | Better Mileage with lower running cost | ✓ | × | × | × | × |
| Utility Box | Additional smart space to store belongings | ✓ | × | × | × | × |
| USB Charger | Enhance convenience with charging capability on the go | ✓ | × | × | × | × |







DELUXE SEGMENT

Splendor+







Programmed Fi with XSENS Technology



i3s Technology









| Specifications | | | |
|----------------|-------------|---|--|
| Displacement | | 97.2 cc | |
| N | lax. Power | 5.9 kW @ 8000 rpm | |
| IV | lax. Torque | 8.05 Nm @ 6000 rpm | |
| | Starting | Electric start/kick start | |
| | Gearbox | 4 Speed Constant Mesh | |
| Frame Type | | Tubular Double Cradle Frame | |
| Suppopoion | Front | Telescopic Hydraulic Shock Absorbers | |
| Suspension | Rear | 5-step Adjustable Hydraulic Shock Absorbers | |
| Front | | Drum – Dia. 130 mm | |
| Brakes | Rear | Drum – Dia. 130 mm, Integrated Braking System | |
| Tyro Sizo | Front | 80/100-18 M/C 47P (Tubeless) | |
| Tyre Size | Rear | 80/100-18 M/C 54P (Tubeless) | |
| | | | |

Color **Options**



Fuel Tank Capacity

Silver Nexus



Red







9.8 Ltrs.









Blue

Blue

Silver



| SPECIFICATION | BENEFIT | SPLENDOR + | BRAND A | BRAND B | BRAND C | BRAND D |
|-----------------------|--|---|---|-----------------------------|----------------------------------|----------------------------------|
| | | | ENGINE | | | |
| Max power (kW @ RPM) | More powerful ride | 5.9 @ 8000 | 5.8 @ 7500 | 5.43 @ 7500 | 6.03 @ 7350 | 6.03 @ 7350 |
| Max torque (Nm @ RPM) | & better pick up | 8.05 @ 6000 | 8.3 @ 5500 | 8.05 @ 5000 | 8.7 @ 4500 | 8.7 @ 4500 |
| | | | CHASSIS | | | |
| CHASSIS | Enhanced Strength & Rigidity | Tubular Double Cradle | Tubular Single Down Tube with Lower Cradle Frame | Diamond Type | Single Cradle Tubular Frame | Single Cradle Tubular Frame |
| | | | DIMENSIONS | } | | |
| Length (mm) | | 2000 | 2006 | 1955 | 2025 | 1984 |
| Width (mm) | Better Road | 720 | 713 | 754 | 705 | 750 |
| Kerb Weight (Kg) | Presence | 112 | 117 kg | 99 | "116 Kg (Drum) 118 kg (Disc)" | 115 kg (Drum) 116 kg (Disc) |
| | | | BRAKES | | | |
| Rear | Better Safety with shorter braking distance | 130mm Drum, Integrated Braking System | 110 mm Drum with Anti-Skid Braking System | Drum Type , 110mm | 110mm Drum | Drum -110 mm, Synchro |
| | | | WHEELS | | | |
| Front | Comfortable ride | 80/100 -18 M/C 47P (Tubeless) | 2.75 x 17 41 P – Tube Type, Regular Tread Pattern | 2.75 - 17 41P, Tube Type | 2.75 x 18 (Tubeless) | 2.75 X 17" 41P 4PR - Tubeless |
| Rear | even on bad road patches | 80/100 -18 M/C 54P (Tubeless) | 3.00 x 17 50 P – Tube Type, Regular Tread Pattern | 3.00 - 17 50P, Tube Type | 3.00 x 18 (Tubeless) | 3.0 X 17" 50P 6PR - Tubeless |
| FEATURES | | | | | | |
| i3S Technology | Better Mileage with lower running cost | ✓ | × | × | TVS Intelligo | × |
| Utility Box | Additional smart space to store belongings | ✓ | × | × | × | × |

Brand A = BP 100 | Brand B = HS 100 | Brand C = TR | Brand D = TSC















Bluetooth Connectivity



Integrated USB Charger



of the vehicle in kmpl

| | | Specifications | | |
|------------|---|--|--|--|
| Di | splacement | 97.2 cc | | |
| N | lax. Power | 5.9 kW @ 8000 RPM | | |
| M | lax. Torque | 8.05 Nm @ 6000 RPM | | |
| | Starting | Electric Start & Kick | | |
| Frame Type | | Tubular Double Cradle | | |
| Suspension | Front Telescopic Hydraulic Shock Absorber | | | |
| Suspension | Rear | 5 step Adjustable Hydraulic Shock Absorbers | | |
| Brakes | Front | Drum – Dia. 130 mm | | |
| Diakes | Rear | Drum – Dia. 130 mm , Integrated Braking System | | |
| Tyre Size | Front | 80/100-18 M/C 47P (Tubeless) | | |
| Tyle Size | Rear | 80/100-18 M/C 54P (Tubeless) | | |
| Fuel | Tank Capacity | 9.8 Litres | | |

Color **Options**









| SPECIFICATION | BENEFIT | SPLENDOR + XTEC | BRAND A | BRAND B | BRAND C |
|-------------------------------------|---|---|--|---|----------------------------------|
| | | CHA | SSIS | | |
| CHASSIS | Enhanced Strength & Rigidity | Tubular Double Cradle | Tubular Single Down Tube with Lower Cradle Frame | Square tube, Single Down Tube with Lower Cradle frame | Single Cradle Tubular Frame |
| | | DIMEN | SIONS | | |
| Kerb Weight (Kg) | Higher weight improves stability | 112 | 119 / 122 | 127 | 116 Kg (Drum) / 118 kg (Disc) |
| | | BRA | KES | | |
| Rear | Better Safety with shorter braking distance | 130mm Drum, Integrated Braking System | 110 mm Drum with CBS | 110 mm Drum with CBS | 110mm Drum |
| | | WHE | ELS | | |
| Front | Comfortable ride even | 80/100 -18 M/C 47P (Tubeless) | 80/100-17, 46P, Tubeless | 2.75 x 17 41 P - Tube Type, Semi Knobby Tread Pattern | 2.75 x 18 (Tubeless) |
| Rear | on bad road patches | 80/100 -18 M/C 54P (Tubeless) | 80/100-17, 53P, Tubeless | 3.00 x 17 50 P - Tube Type, Semi Knobby Tread Pattern | 3.00 x 18 (Tubeless) |
| | | FEAT | URES | | |
| i3S Technology | Better Mileage with lower running cost | ✓ | × | x | TVS Intelligo |
| Utility Box | Additional smart space to store belongings | ✓ | × | × | × |
| Integrated USB Mobile Charger | Enhanced convenience with charging on the go | ✓ | × | × | ✓ |
| Fully Digital Instrument Cluster | More Precise information on the go | ✓ | × | x | ✓ |
| Bluetooth Connectivity | Added convenience with display of caller name and SMS | √ | × | × | × |
| Real Time Mileage Indicator | Provide real time mileage of the vehicle | ✓ | × | × | ✓ |

Brand A = BP 110 | Brand B = BC 110X | Brand C = TR





Stylish Forever















| Chrome | Muffler | Cover |
|--------|---------|-------|
|--------|---------|-------|

| Specifications | | | | |
|-----------------|---------------|---|--|--|
| Di | splacement | 97.2 cc | | |
| IV | lax. Power | 5.9 kW @ 8000 rpm | | |
| М | ax. Torque | 8.05 Nm @ 6000 rpm | | |
| | Starting | Kick / Self Start | | |
| Frame Type | | Double Cradle | | |
| Suppopoion | Front | Telescopic Hydraulic Shock Absorbers | | |
| Suspension Rear | | Twin tube | | |
| Brakes | Front | Drum – Dia. 130 mm | | |
| Diakes | Rear | Drum – Dia. 130 mm, Integrated Braking System | | |
| Turo Sizo | Front | 80/100-18 Tubeless | | |
| Tyre Size Rear | | 80/100-18 Tubeless | | |
| Fuel | Tank Capacity | 11 Ltrs. | | |

Color Options



Sports Red





| SPECIFICATION | BENEFIT | PASSION + | BRAND A | BRAND B |
|--|--|--|---|-----------------------------|
| | | DIMENSIONS | | |
| Width (mm) Height (mm) Fuel Tank (L) | Better Road Presence | 770 1087 11 | Drum - 742 mm, Disc - 751 mm 1116 9 | 754 1050 9 |
| | | BRAKES | | |
| Rear | Better Safety with shorter braking distance | 130mm Drum, Integrated Braking System | Drum - 130 mm | Drum Type , 110mm |
| | | WHEELS | | |
| Front | Comfortable ride even on | 80/100-18 Tubeless | 80/100-18 M/C 47P, Tubeless | 2.75 - 17 41P, Tube Type |
| Rear | bad road patches | bad road patches 80/100-18 Tubeless | | 3.00 - 17 50P, Tube Type |
| | | FEATURES | | |
| i3S Technology | Better Mileage with lower running cost | ✓ | × | × |
| Utility Box | Additional smart space to store belongings | ✓ | × | × |
| FEATURES | | | | |
| i3S Technology | Better Mileage with lower running cost | √ | × | x |
| Integrated USB Mobile Charger | Enhanced convenience with charging on the go | √ | × | × |

Brand A = HL | Brand B = HS 100





Alag Style, Alag Andaaz










Projector LED Headlamp











| Bluetooth | Connectivity |
|-----------|--------------|
|-----------|--------------|

Specifications 113 cc Displacement Max. Power 6.73 kW @ 7500 rpm Max. Torque 9.79 Nm @ 6000 rpm Starting Electric start / Kick start Frame Type Diamond Front Conventional Forks (Dia - 30 mm) Suspension Twin Shox Rear Front Drum - Dia. 130 mm / Disc - Dia. 240 mm Brakes Rear Drum - Dia. 130 mm, Integrated Braking System Front 80/100-18" Tubeless Tyre Size Rear 80/100-18" Tubeless **Fuel Tank Capacity** 10 Litres

Color **Options**



Blazing Red









| SPECIFICATION | BENEFIT | PASSION XTEC | BRAND A | BRAND B | BRAND C | BRAND D | | | |
|----------------------------------|---|--|--|---|-----------------------------------|-----------------------------|--|--|--|
| | | ENG | GINE | | | | | | |
| Max power (kW@RPM) | More powerful ride & | 6.73 @ 7500 | 6.33 @ 7000 | 6.33 @ 7000 | 6.03 @ 7350 | 5.43 @ 7500 | | | |
| Max torque (Nm@RPM) | better pick up | 9.79 @ 5000 | 9.81 @ 5000 | 9.81 @ 5001 | 8.7 @ 4500 | 8.05 @ 5000 | | | |
| | CHASSIS | | | | | | | | |
| CHASSIS | Enhanced Strength & Rigidity | Diamond Type | Tubular Single Down Tube with Lower Cradle Frame | Square tube, Single Down Tube with Lower Cradle frame | Single Cradle Tubular Frame | Diamond Type | | | |
| | | DIMEN | ISIONS | | | | | | |
| Length (mm) | | 2036 | 2006 | 1998 | 2025 | 1955 | | | |
| Height (mm) | Better Road Presence | 1113 | 1100 | 1098 | 1080 | 1050 | | | |
| Wheelbase (mm) | | 1270 | 1255 | 1285 | 1265 | 1245 | | | |
| | | BRA | AKES | | | | | | |
| Rear | Better Safety with shorter braking distance | 130mm Drum, Integrated Braking System | 110 mm Drum with CBS | 110 mm Drum with CBS | 110mm Drum | Drum Type, 110mm | | | |
| | | WHI | EELS | | | | | | |
| Front | Comfortable ride even on | 80/100 -18 (Tubeless) | 80/100-17, 46P, Tubeless | 2.75 x 17 41 P - Tube Type, Semi Knobby Tread Pattern | 2.75 x 18 (Tubeless) | 2.75 - 17 41P, Tube Type | | | |
| Rear | bad road patches | 80/100 -18 (Tubeless) | 80/100-17, 53P, Tubeless | 3.00 x 17 50 P – Tube Type, Semi Knobby Tread Pattern | 3.00 x 18 (Tubeless) | 3.00 - 17 50P, Tube Type | | | |
| | | FEAT | URES | | | | | | |
| i3S Technology | Better Mileage with lower running cost | √ | × | x | TVS Intelligo | × | | | |
| Utility Box | Additional smart space to store belongings | ✓ | × | × | × | × | | | |
| LED Headlamp | Increased brightness & premium feel | ✓ | × | × | × | × | | | |
| Fully Digital Meter Console | More Precise information on the go | ✓ | × | × | ✓ | × | | | |
| Bluetooth Connectivity | Added convenience with display of caller name and SMS | ✓ | × | × | × | × | | | |
| Real Time Mileage Indicator | Provide real time mileage of the vehicle | ✓ | × | × | ✓ | × | | | |
| Integrated USB Mobile Charger | Enhanced convenience with charging on the go | ✓ | × | × | ✓ | × | | | |

Brand A = BP 110 | Brand B = BC 110X | Brand C = TR | Brand D = HS 100






125 cc SEGMENT















6-Hole Fuel Injector & i3s Technology









Digi-Analog Instrument Cluster with RTMI Indicator

| Specifications | | | | |
|----------------|---------------|---|--|--|
| Di | splacement | 124.7 cc | | |
| IV | lax. Power | 7.9 kW @ 8000 rpm | | |
| М | ax. Torque | 10.6 Nm @ 6000 rpm | | |
| | Starting | Electric start/kick start | | |
| | Gearbox | 5 Speed Constant Mesh | | |
| Frame Type | | Tubular Double Cradle Frame | | |
| Suspension | Front | Telescopic Hydraulic Shock Absorbers (30mm) | | |
| Suspension | Rear | 5-step Adjustable Hydraulic Shock Absorbers | | |
| Brakes | Front | Drum – Dia. 130 mm Disc - 240mm | | |
| Diakes | Rear | Drum – Dia. 130 mm | | |
| Tyro Sizo | Front | 80/100-18 M/C 47P (Tubeless) | | |
| Tyre Size Rear | | 80/100-18 M/C 54P (Tubeless) | | |
| Fuel | Tank Capacity | 10 Ltrs. | | |

Color **Options**



Glaze Black



Black



Grey



Black



Red



Blue





Blue

Fusion Blue



| SPECIFICATION | BENEFIT | SUPER SPLENDOR | BRAND A | BRAND B | BRAND C | | |
|------------------------------|--|------------------------|---|---------------------------------|---------------------------------|--|--|
| DIMENSIONS | | | | | | | |
| Length (mm) | | 2042 | Split Seat - 2042 / Single seat - 2055 | 2020 | 2046 | | |
| Ground clearance (mm) | Better Road Presence | 180 | 165 | 160 | 162 | | |
| Fuel Tank (L) | | 12 | 11.5 | 11.2 | 10.5 | | |
| | | WHE | ELS | | | | |
| Front | Comfortable ride even | 80/100 -18" (Tubeless) | 80/100 x 17 Tubeless | 80/100 -18 M/C 47P, Tubeless | 80/100 -18 M/C 47P, Tubeless | | |
| Rear | on bad road patches | 90/90 -18" (Tubeless) | 100/90 x 17 Tubeless | 100/80 -18 M/C 53P, Tubeless | 80/100 -18 M/C 54P, Tubeless | | |
| | | FEAT | URES | | | | |
| i3s Technology | Better Mileage with lower running cost | ✓ | × | × | × | | |
| Integrated USB Charger | Enhanced convenience with mobile charging facility on the go | √ | × | × | × | | |
| Digi-Analogue Speedometer | More Precise information on the go | ✓ | × | FULL DIGITAL | Analogue | | |

Brand A = BP 125 | Brand B = HSP 125 | Brand C = HS 125



Apna Time Super Hai



















Fully Digital Speedometer with RTMi

| | Specifications | | | | |
|----------------------------|----------------|---|--|--|--|
| Di | splacement | 124.7 cc | | | |
| IV | lax. Power | 8 kW @ 7500 rpm | | | |
| М | ax. Torque | 10.6 Nm @ 6000 rpm | | | |
| | Starting | Self (with i3s) & Kick | | | |
| Frame Type Tubular Diamond | | Tubular Diamond | | | |
| Suspension | Front | Telescopic Hydraulic Shock Absorber | | | |
| Suspension | Rear | 5-Step Adjustable Hydraulic Shock Absorbers | | | |
| Brakes | Front | Disc – Dia. 240 mm / Drum – Dia. 130 mm | | | |
| Diakes | Rear | Drum – Dia. 130 mm | | | |
| Tyre Size | Front | 80/100 x 18 Tubeless Tyre | | | |
| Rear | | 90/90 x 18 Tubeless Tyre | | | |
| Fuel | Tank Capacity | 12 Litres | | | |

Color **Options**









| SPECIFICATION | BENEFIT | SUPER SPLENDOR XTEC | BRAND A | BRAND B | BRAND C | | |
|--|--|------------------------|-------------------------|---------------------------------|---------------------------------|--|--|
| DIMENSIONS | | | | | | | |
| Height (mm) | | 1092 | 1060 | 1103 | 1116 | | |
| Ground clearance (mm) | Better Road Presence | 180 | 165 | 160 | 162 | | |
| Fuel Tank (L) | | 12 | 11.5 | 11.2 | 10.5 | | |
| | | WHEEL | S | | | | |
| Front | Comfortable ride even | 80/100 -18" (Tubeless) | 80/100 x 17 Tubeless | 80/100 -18 M/C 47P, Tubeless | 80/100 -18 M/C 47P, Tubeless | | |
| Rear | on bad road patches | 90/90 -18" (Tubeless) | 100/90 x 17 Tubeless | 100/80 -18 M/C 53P, Tubeless | 80/100 -18 M/C 54P, Tubeless | | |
| | | FEATUR | ES | | | | |
| i3s Technology | Better Mileage with lower running cost | ✓ | × | × | × | | |
| Fully Digital Speedometer | More Precise information on the go | ✓ | × | × | ✓ | | |
| Bluetooth Connectivity With Call Alerts | Added convenience with display of caller name and SMS | ✓ | × | × | × | | |
| Mileage Indicator | Provides real time mileage on the screen for rider convenience | ✓ | × | × | √ | | |
| Integrated USB Charger | Enhanced convenience with mobile charging facility on the go | ✓ | × | × | × | | |

Brand A = BP 125 | Brand B = HSP 125 | Brand C = HS 125















Improved Ergonomics







Fully Digital Meter Cluster

| Specifications | | | | |
|----------------|---------------|---|--|--|
| Dis | splacement | 124.7 cc | | |
| М | ax. Power | 7.75kw@7500rpm | | |
| М | ax. Torque | 10.4@6000 | | |
| | Starting | Kick Start / Self Start | | |
| | Gearbox | 5 Speed Constant Mesh | | |
| Frame Type | | Diamond | | |
| Suppopoion | Front | Telescopic Fork (30mm Diameter) | | |
| Suspension | Rear | 5 Step Adjustable Hydraulic Shock Absorbers | | |
| Brakes | Front | 240mm Disc / 130mm Drum | | |
| Diakes | Rear | 130mm Drum | | |
| Tyre Size | Front | 80/100-18" Tubeless | | |
| Tyle Size | Rear | 100/80 - 18" Tubeless | | |
| Fuel | Tank Capacity | 10 Litres | | |

Color **Options**



Sports . Red-Black















Canvas Blue Black Black*

Fiery Red*

Sunset Gold* Daring Yellow*

Techno Blue*

Radiant Red*



| SPECIFICATION | BENEFIT | HERO GLAMOUR | BRAND A | BRAND B | BRAND C |
|------------------------|--------------------------------------|----------------------------|------------------|------------------------|-------------------------------------|
| | | DIMENSIO | ON | | |
| Ground Clearance (mm) | Comfortable Rides on Uneven Roads | 170 | 162 | 160 | 165 |
| Kerb Weight (Kg) | Enhanced Ride Handling | Disc: 122.5 Drum: 121.3 | 113 | 116 | Single Seat: 142 Split Seat: 140 |
| | | WHEEL | • | | |
| Wheel Diameter (inch) | Enhanced Ride Quality | 18 | 18 | 18 | 17 |
| Rear Tyre Width(mm) | Enhanced Road Grip | 100 | 80 | 100 | 100 |
| | | FEATURE | S | | |
| Dual Tone Color Scheme | Premium Looks | ✓ | × | × | × |
| Meter Cluster | Accurate Information on the Display | Fully Digital | Analog | Digital | Digi Analog |
| Integrated USB Charger | Charge On-the-Go | ✓ | × | × | x |
| i3s Technology | Improved Fuel Efficiency | ✓ | × | × | × |
| RTMi | Enhanced Convenience & Mileage | ✓ | × | ✓ | × |
| | | | | | |
| | | WARRAN | TY | | |
| Warranty | Peace of Mind | 5 Years/70000 km | 3 Years/42000 km | 3 Years/42000 kM | 5 Years/75000 km |

Brand A = HS 125 | Brand B = HSP 125 | Brand C = BP 125



Lead the Game









Programmed Fi Technology with XSENS

LED Headlamp







Connect 2.0

| | Specifications | | | | | |
|----------------|----------------|--|--|--|--|--|
| Di | splacement | 124.7 cc | | | | |
| N | lax. Power | 8 kW @ 7500 rpm | | | | |
| M | lax. Torque | 10.6 Nm @ 6000 rpm | | | | |
| | Starting | Self (with i3s) & Kick | | | | |
| Frame Type | | Diamond | | | | |
| Suspension | Front | Telescopic Dia. 30 mm | | | | |
| Suspension | Rear | 5-Step Adjustable Hydraulic Shock Absorber | | | | |
| Brakes | Front | Drum – Dia. 130 mm / Disc – Dia. 240 mm | | | | |
| Diakes | Rear | Drum – Dia. 130 mm | | | | |
| Front | | 80/100 x 18 Tubeless Tyre | | | | |
| Tyre Size Rear | | 100/80 x 18 Tubeless Tyre | | | | |
| Fuel | Tank Capacity | 10 Litres | | | | |

Color **Options**



Candy Blazing Red Glossy Black







Black Connected Blue Variant



| SPECIFICATION | BENEFIT | GLAMOUR XTEC | BRAND A | BRAND B | BRAND C | BRAND D | BRAND E |
|--|---|---------------------------|--|-------------------|------------------------------------|------------------------------------|-----------------------------|
| | | DIME | ENSIONS | | | | |
| Length (mm) | Better Road Presence | 2051 | Split Seat - 2042 / Single seat - 2055 | 1998" | 2020 | 2046 | 2070 |
| Ground clearance (mm) | | 180 | 165 | 170 | 160 | 162 | 180 |
| | | WI | HEELS | | | | |
| Front | Comfortable ride even | 80/100 -18" (Tubeless) | 80/100 x 17 Tubeless | 80/100-17, TL | 80/100 -18 M/C 47P, Tubeless | 80/100 -18 M/C 47P, Tubeless | 80/100 -17 46P, Tubeless |
| Rear | on bad road patches | 100/80 -18" (Tubeless) | 100/90 x 17 Tubeless | 100/90-17, TL, | 100/80 -18 M/C 53P, Tubeless | 80/100 -18 M/C 54P, Tubeless | 100/90 -17 55P, Tubeless |
| | | FE/ | ATURES | | | | |
| Connect 2.0 | Better connectivity with enhanced safety, security & convenience | √ | × | × | × | × | × |
| Bluetooth Connectivity With Call Alerts | Added convenience with display of caller name and SMS | √ | × | × | × | × | √ |
| Turn By Turn Navigation | Allows rider to navigate easily | ✓ | × | × | × | × | ✓ |
| Gear Position Indicator | Allows rider to identify the gear position and to shift accordingly | ✓ | × | × | ✓ | √ | √ |
| Mileage Indicator | Provides real time mileage on the screen for rider convenience | ✓ | × | × | ✓ | √ | √ |
| Service Reminder | Alerts rider of due service date for timely service of the vehicle | ✓ | × | × | √ | √ | ✓ |
| Integrated USB Charger | Enhanced convenience with mobile charging facility on the go | √ | × | × | × | × | √ |
| i3s Technology | Better Mileage with lower running cost | ✓ | × | × | × | × | ✓ |

Brand A = BP 125 | Brand B = BC 125X | Brand C = HSP 125 | Brand D = HS 125 | Brand E = TR







PREMIUM SEGMENT



Go Boom Go Xtreme








160cc XSENS Technology Engine with 14 Sensors



Full LED Package & Inverted LCD Console









Bluetooth connectivity

| | | Specifications | | |
|--------------------|-------|-----------------------------|--|--|
| Displacement | | 163 cc | | |
| Max. Power | | 11.2 kW @ 8500 rpm | | |
| Max. Torque | | 14 Nm @ 6500 rpm | | |
| Starting | | Kick / Self Start | | |
| Frame Type | | Tubular Diamond | | |
| Suppopoion | Front | Telescopic, 37mm Dia | | |
| Suspension | Rear | 7 Step Adjustable Monoshock | | |
| Brakes | Front | Disc – Dia. 276 mm, Petal | | |
| Diakes | Rear | Disc – Dia. 220 mm, Petal | | |
| Turo Cizo | Front | 100/80-17 Tubeless | | |
| Tyre Size | Rear | 130/70-R-17 Tubeless | | |
| Fuel Tank Capacity | | 12 Litres | | |

Color Options



Matte Axis Grey









| SPECIFICATION | BENEFIT | XTREME 160R | BRAND A | BRAND B | BRAND C | BRAND D | BRAND E |
|--------------------------------|---|-----------------------------|-------------------------------------|---|--------------------------|--|---------------------|
| | ENGINE | | | | | | |
| Engine displacement (cc) | More powerful ride & better pick up | 163 | 160.3 | 159.7 | 159.7 | 149 | 155 |
| Max power (kW @ RPM) | | 11.2 @ 8500 | 12.7 @ 9000 | 12.91 @ 9250 | 11.8 @ 8750 | 9.1 @ 7250 | 10 @ 8000 |
| Max torque (Nm @ RPM) | | 14 @ 6500 | 14.6 @ 6500 | 14.73 @ 7500 | 13.85 @ 7000 | 13.3 / 5500 | 13.8 @ 6000 |
| | | | DIMEN | ISIONS | | | |
| Length (mm) | | 2029 | 2017 | 2035 | 2085 | 2000 | 2020 |
| Width (mm) | Better Road | 793 | 804 | 790 | 730 | 780 | 800 |
| Ground clearance (mm) | Presence | 167 | 170 | 180 | 180 | 165 | 160 |
| | | | BRA | KES | | | |
| Front | Better Safety with shorter | Disc 276mm Petal | Dual Channel ABS, 300 mm Disc | 270 mm dia Petal Disc | 270 mm dia Petal Disc | Disc aBrake(282mm) | Disc |
| Rear | braking distance | Disc 220mm Petal | 230 mm Disc(ABS) | 200 mm dia Petal Disc | 200 mm dia Petal Disc | Disc Brake(220mm) | Disc |
| | | | WHE | EELS | | | |
| Front | Comfortable ride even on bad road patches | 100/80 -17" (Tubeless) | 100/80-17 52 P Tubeless | 90/90-17 49P Tubeless | 90/90-17 Tubeless | 100/80-17M/C 52P-Tubeless | 100/80-17M/C 52P |
| Rear | | 130/70 -R-17" (Tubeless) | 130/70-17 62 P Tubeless | 130/70 R17 M/C 62P Tubeless (Radial tyre) | 120/70-17 Tubeless | 140/60R17M/C 63P-Radial Tubeless | 140/60R17M/C 63P |
| FEATURE | | | | | | | |
| Full LED Headlamp | Increased | ✓ | × | √ | × | √ | ~ |
| LED Winkers | brightness & | ✓ | × | × | × | × | × |
| LCD br. adjustment | premium feel | √ | × | × | × | × | × |
| Full digital instr. cluster | More Information on the go | ✓ | × | √ | × | ~ | √ |
| USB charger | Enhanced Convenience with charging capability on the go | ~ | × | × | × | × | × |
| Bluetooth | Added convenience with display of caller name and SMS | * | × | 4 | × | 1 | × |

Brand A = BPNS 160 | Brand B = TA 1604V | Brand C = TAR 160 | Brand D = YF | Brand E = SG



A New Race Is Here









Oil Cooled Engine

Fastest in the Segment*







Front Suspension



6000 km Service Interval

| | | | Specifications | | |
|-------------|-------------------------------|---|--|--|--|
| | Displacement | | 163.2 cc | | |
| Max. Power | | lax. Power | 12.4 kW @ 8500 rpm | | |
| Max. Torque | | lax. Torque | 14.6 Nm @ 6500 rpm | | |
| Starting | | Starting | Kick / Self Start | | |
| | Frame Type | | Tubular Underbone Diamond Type | | |
| ı | Curananaian | Front | STD – Telescopic, 37mm Dia / PRO – KYB USD Forks, 37mm Dia | | |
| | Suspension | Rear | 7 Step Adjustable Monoshock | | |
| | Brakes | Front | Disc – Dia. 276 mm, Petal | | |
| | | Rear | Disc – Dia. 220 mm, Petal | | |
| | Tyre Size | Front | 100/80-17 Tubeless | | |
| | | Rear | 130/70-R-17 Tubeless | | |
| | Fuel Tank Capacity | | 12 Litres | | |
| | Suspension Brakes Tyre Size | Front Rear Front Rear Front Rear Front Rear | STD – Telescopic, 37mm Dia / PRO – KYB USD Forks, 37mm Dia 7 Step Adjustable Monoshock Disc – Dia. 276 mm, Petal Disc – Dia. 220 mm, Petal 100/80-17 Tubeless 130/70-R-17 Tubeless | | |

Color **Options**



Neon Shooting Matt Slate Black Star (Std Variant)







| SPECIFICATION | BENEFIT | XTREME 160R 4V | BRAND A | BRAND B | BRAND C | |
|-------------------------------|---|--|--|--|--|--|
| | | | ENGINE | | | |
| Max power (kW @ RPM) | More powerful ride & better | 12.4 @ 8500 | 12.7 @ 9000 | 11.7 @ 8750 | Sport - 12.91 kW @ 9250 rpm Urban/ Rain - 11.5 kW @ 8600 rpm | |
| Max torque (Nm @ RPM) | pick up | 14.6 @ 6500 | 14.6 @ 6500 | 14.65 @ 6750 | Sport - 14.73 Nm @ 7500 rpm Urban/ Rain - 14.14 Nm @ 7000 rpm | |
| | | DI | MENSIONS | | | |
| Kerb Weight (Kg) | Better Road Presence | STD - 144 / PRO - 145 | 152 | Dual Channel ABS - 154 Single Channel ABS - 152 | 146 | |
| | | Sl | JSPENSION | | | |
| Front | Adjust suspension basis the required stiffness and height | "STD - Standard Telescopic, 37mm Dia PRO - KYD USD Forks, 37mm Dia" | Up Side Down Fork | "Dual Channel ABS - Telescopic, 37mm Single Channel ABS - Telescopic, 31mm" | Telescopic Forks | |
| Rear | | 7 Step Adjustable Monoshock | Nitrox mono shock absorber with Canister | SNS , Stroke 100 mm | MonoShock | |
| | | | BRAKES | | | |
| Front | Better Safety with shorter braking distance | Disc 276mm Petal | Dual Channel ABS, 300 mm Disc | Pulsar N160 Dual Channel ABS - 300 mm, Disc Pulsar N160 Single Channel ABS - 280 mm, Disc | 270 mm dia Petal Disc | |
| Rear | | Disc 220mm Petal | 230 mm Disc(ABS) | 230 mm Disc | 200 mm dia Petal Disc | |
| | | | WHEELS | | | |
| Front | Comfortable ride even on bad | 100/80 -17" (Tubeless) | 100/80-17 52 P Tubeless | 100/80-17 Tubeless | 90/90-17 49P Tubeless | |
| Rear | road patches | 130/70 -R-17" (Tubeless) | 130/70-17 62 P Tubeless | 130/70-17 Tubeless | 130/70 R17 M/C 62P Tubeless (Radial tyre) | |
| | | | FEATURE | | | |
| Oil Cooler | Better Maintenance of engine temperature thus enhancing engine life | Oil Cooler, 5 Fin | Oil Cooler | Oil Cooler | Oil Cooler, 3 Fin | |
| Top Speed (kmph) | Enhanced Performance | 107.5 | 152 | 152 | 103 | |
| Acceleration 0 - 60 kmph# | Fastest in the Segment | 4.5 Seconds | NA | NA | 4.8 Seconds | |
| Acceleration 0 - 100 kmph# | Fastest in the Segment | 16.79 Seconds | NA | NA | 21.37 Seconds | |
| Winkers | Enhanced Safety & Style | LED | Amber Bulb | Amber Bulb | Amber Bulb | |
| Bluetooth Connectivity | Added convenience with display of caller name and SMS | ✓ | Х | Х | Х | |
| USB Charger | Enhanced convenience with mobile charging facility on the go | √ | X | √ | Х | |

Brand A = BPNS 160 | Brand BPN 160 | Brand C = TAR 1604V

Ride The Rush









FI XSENS, Oil Cooled, 4 Valve Engine

Split Handlebar







| Rrighter | I FD | Headlamp |
|------------|------|-------------|
| Diligilici | LLD | ricaulallip |

| Specifications | | | | |
|--------------------|-------|---|--|--|
| Displacement | | 199.6 cc | | |
| Max. Power | | 14.04 kW (19.1 bhp) @ 8500 rpm | | |
| Max. Torque | | 17.35 Nm @ 6500 rpm | | |
| Engine | | Oil Cooled, 4 Stroke, 4 Valve Single Cylinder OHC | | |
| Starting | | Self & Kick | | |
| Gearbox | | 5 speed Constant Mesh | | |
| Frame Type | | Diamond | | |
| Cuananaian | Front | Telescopic Front Forks with Anti Friction Bush | | |
| Suspension | Rear | Rectangular Swingarm with Mono Shock | | |
| Prokos | Front | Petal Disc Dia. 276 mm with ABS | | |
| Brakes | Rear | Petal Disc Dia. 220 mm | | |
| Tyre Size | Front | 100/80X17 (Tubeless) | | |
| | Rear | 130/70XR17 (Tubeless) | | |
| Fuel Tank Capacity | | 12.8 Ltrs. | | |

Color **Options**



Metallic







| SPECIFICATION | BENEFIT | XTREME 200S 4V | BRAND A | BRAND B | BRAND C | BRAND D | BRAND E |
|-------------------------------|--|----------------------|----------------------|------------------------|------------------------|----------------------|---------------------------------|
| | | DII | MENSION | | | | |
| Ground Clearance (mm) | Dottor road processo | 165 | 160 | 165 | 157 | 156 | 170 |
| Kerb Weight (kg) | Better road presence | 155 | 148 | 164 | 166 | 160 | 141 |
| | | | VHEELS | | | | |
| Front Tyre | Comfortable ride even | 100/80-17" | 100/80-17" | 100/80-17" | 100/80-17" | 110/70-17" | 100/80-17" |
| Rear Tyre | on bad road patches | 130/70-17" Radial | 140/60-17" Radial | 130/70-17" | 130/70-17" | 150/60-17" Radial | 140/70-17" Radial |
| | | В | RAKES | | | | |
| Front & Rear Brake | Better Safety with shorter braking distance | Petal Discs | Rotary Disc | Rotary Disc | Petal Disc | Rotary Disc | Rotary Disc |
| | | FI | EATURE | | | | |
| Headlights | Increased brightness & premium feel | Twin LED Headlamp | LED | Projector Headlight | Projector Headlight | LED Headlamp | Single Bi- functional LED |
| Intrument Cluster | More Information on the go | Full Digital LCD | Digital | Digi Analog | Digi Analog | LCD Dash Display | Digital |
| Bluetooth with Call Alerts | Added convenience with display of caller name and SMS | ~ | × | × | × | * | 1 |
| Turn by Turn Navigation | Allows rider to navigate easily | ✓ | × | × | * | × | × |

Brand A = SGS | Brand B = BPF 250 | Brand C = BPR 200 | Brand D = KRC 200 | Brand E= YR 150





Make New Tracks









Bluetooth Connectivity with Turn by Turn Navigation



Ground Clearance & Dual Purpose Tyre



Petal Disc Brakes with 3 ABS Modes



LED Headlamp with DRL

| Specifications | | | | | |
|----------------|---------------|---|--|--|--|
| Di | splacement | 199.6 cc | | | |
| N | lax. Power | 14.1 kW @ 8500 RPM | | | |
| M | lax. Torque | 17.35 Nm @ 6500 RPM | | | |
| | Starting | Self and Kick | | | |
| Frame Type | | Diamond | | | |
| Suspension | Front | Telescopic Front Forks (dia 37) with anti friction bush | | | |
| Suspension | Rear | Rectangular swingarm with 10 Step Adjustable Monoshock | | | |
| Brakes | Front | Petal Disc Dia. 276 mm | | | |
| Diakes | Rear | Petal Disc Dia. 220 mm | | | |
| Tyre Size | Front | 90/90-21 M/C 54S | | | |
| Tyle Size | Rear | 120/80-18 M/C 62S | | | |
| Fuel | Tank Capacity | 13 Litres | | | |

Color Options











| SPECIFICATION | BENEFIT | XPULSE 200 4V | BRAND A | BRAND B | BRAND C |
|-------------------------|--|--|--|--|---------------------|
| | | DIMENSIO | NS | | |
| Length (mm) | | 2255 | 2190 | 2180 | 2035 |
| Width (mm) | | 862 | 840 | 880 | 843 |
| Height (mm) |] | 1380 | 1370 | 1355 | 1248 |
| Wheelbase (mm) | Datter David David | 1427 | 1465 | 1440 | 1355 |
| Seat Height (mm) | Better Road Presence | 891 | 800 | 835 | 810 |
| Ground clearance (mm) |] | 270 | 220 | 205 | 167 |
| Fuel Tank (L) |] | 13 | 15 + 0.5 | 12 | 12 |
| Kerb Weight (Kg) |] | 161 | 199 | 167 | 147 |
| | | SUSPENSI | ON | | |
| Rear | Adjust suspension basis the required stiffness and height | Rectangular swingarm with 10 step preload adjustable compression & rebound damping | "Monoshock with linkage, 180 mm wheel travel" | Swing arm type, coil spring, oil damped | MonoShock |
| | | BRAKES | 8 | | |
| Front | Better Safety with shorter | Disc 276mm Petal | 300 mm disc, Rotary Disc | Rotary Disc | 276 mm, Rotary Disc |
| Rear | braking distance | Disc 220mm Petal | 240 mm disc, Rotary Disc | Rotary Disc | 220 mm, Rotary Disc |
| | | FEATURE | S | | |
| Instrument Cluster | More Information on the go | Fully Digital | Digi-Analog | Fully Digital | Fully Digital |
| Call/SMS Alert | Added convenience with display of caller name and SMS | √ | Х | Х | √ |
| USB Charger | Enhanced convenience with mobile charging facility on the go | √ | Х | Х | √ |
| Headlamp | Increased brightness & premium feel | LED | Conventional Halogen | LED | LED |
| Knuckle Guard | Enhanced Safety | Company fitted | Accessory Fitment | Company fitted | Company fitted |
| Tank Pad | Enhanced Style and Looks | Company fitted | Accessory Fitment | Company fitted | Company fitted |
| Engine Cooling | Enhanced Reliability | Oil Cooled | Air Cooled | Air Cooled | Oil Cooled |
| Turn-by-Turn Navigation | Allows rider to navigate easily | ✓ | Х | Х | ✓ |

Brand A = RH | Brand B = SVS 250 | Brand C = HCB 200X

















| Specifications | | | | |
|----------------|---------------|---|--|--|
| Displacement | | 199.6 cc | | |
| M | lax. Power | 14.1 kW @ 8500 rpm | | |
| М | ax. Torque | 17.35 Nm @ 6500 rpm | | |
| | Starting | Self / Kick Start | | |
| | Gearbox | 5-Speed Constant Mesh | | |
| Frame Type | | Diamond Type | | |
| Suspension | Front | Telescopic Front Forks (dia 37) with anti friction bush | | |
| Suspension | Rear | Rectangular swingarm with mono shock (7 Step) | | |
| Brakes | Front | Petal Disc Dia. 276 mm | | |
| Diakes | Rear | Petal Disc Dia. 220 mm | | |
| Tyro Sizo | Front | 100/80 -17 (Tubeless) | | |
| Tyre Size | Rear | 130/70 - 17 (Tubeless) | | |
| Fuel | Tank Capacity | 13 Ltrs. | | |

Color Options



Funk Lime Yellow





| SPECIFICATION | BENEFIT | XPULSE 200T 4V | BRAND A | BRAND B | BRAND C | BRAND D |
|-------------------------------|---|---|---------------------------------|-------------------------------------|---|---|
| | | Е | NGINE | | | |
| Max power (kW @ RPM) | More powerful ride & better pick up | 14.1 @ 8500 | 13.99 @ 8500 | 9.1 @ 7250 rpm | 15.01 @ 7750 | 15.01 @ 7750 |
| Max torque (Nm @ RPM) | | 17.35 @ 6500 | 17.55 @ 7000 | 13.3 @ 5500 rpm | 19.93 @ 3750 | 19.93 @ 3750 |
| | | DIMI | ENSIONS | | | |
| Length (mm) | | 2097 | 2210 | 2020 | 2040 | 2040 |
| Width (mm) | 1 | 807 | 806 | 785 | 805 | 805 |
| Wheelbase (mm) | Better Road Presence | 1400 | 1490 | 1330 | 1357 | 1357 |
| Ground clearance (mm) | | 177 | 169 | 165 | 181 | 181 |
| | | ВІ | RAKES | | | |
| Front | Better Safety with shorter braking distance | Disc 276mm Petal, Single Channel ABS | 280 mm Disc ABS, Rotary Disc | Rotary Disc Brake 282mm with ABS | Dual Channel ABS - 300 mm Rotary Disc | Single Channel ABS - 300 mm Rotary Disc |
| Rear | braking distance | Disc 220mm Petal | 130 mm Drum | Rotary Disc Brake 220mm | 240 mm Rotary Disc | 240 mm Rotary Disc |
| | | FE/ | ATURES | | | |
| Speedometer | More Precise information on the go | Full Digital LCD | Digi Analog | Full Digital LCD | Full Digital LCD | Full Digital LCD |
| USB Charger | Enhanced convenience with mobile charging facility on the go | √ | × | ✓ | As Acessory | × |
| Bluetooth Call & SMS Alert | Added convenience with display of caller name and SMS | ✓ | × | ✓ | × | √ |
| TBT Navigation | Allows rider to navigate easily | ✓ | × | ✓ | × | ✓ |
| Headlamp | | ✓ | × | ✓ | ✓ | ✓ |
| Winkers | Increased brightness & premium feel | ✓ | × | × | ✓ | ✓ |
| Taillight | premium reer | ✓ | × | ✓ | ✓ | ✓ |
| Bashplate | Protects the engine from dust & damage | ✓ | × | × | ✓ | ✓ |
| Rear Hugger | Prevents splashing of water, and accumulation mud & dust on fender | √ | × | √ | × | x |
| Oil Cooled Engine | Better Maintenance of engine temperature thus enhancing engine life | √ | Air Cooled | Air Cooled | Air Cooled | √ |

Brand A = BA 220 | Brand B = YFZ | Brand C = TR (TD) | Brand D = TR (SS & DS)





SUPER 7















| | | Specifications | | |
|--------------|---------------|---|--|--|
| Displacement | | 210 cc | | |
| N | lax. Power | 25.5 Ps @ 9250 rpm | | |
| М | ax. Torque | 20.4 Nm @ 7250 rpm | | |
| | Starting | Self Start | | |
| Gearbox | | 6-Speed Constant Mesh | | |
| Frame Type | | Steel Trellis Frame | | |
| Suspension | Front | Dia 37 mm, Telescopic Front Forks with Anti Friction Bush | | |
| Suspension | Rear | Gas Charged Mono Shock, 6 Step Pre-load Adjustable | | |
| Brakes | Front | Dia 300 mm, Petal Disc, Dual channel ABS | | |
| Diakes | Rear | Dia 230 mm, Petal Disc | | |
| Tyre Size | Front | 100/80-17 TL | | |
| Tyre Size | Rear | 140/70-17 TL | | |
| Fuel | Tank Capacity | 11 Ltrs. | | |

Color **Options**



MATTE PHANTOM **BLACK**





| SPECIFICATION | BENEFIT | KARIZMA XMR | BRAND A | BRAND B | BRAND C | BRAND D |
|-------------------------------|---|------------------------------------|----------------------------------|-----------------------------------|-------------------------------|-------------------------------------|
| | | El | NGINE | | | |
| Engine | Superior Performance | 210cc, 4V, Liquid- cooled, DOHC | 155cc, 4V Liquid-cooled, SOHC | 155cc, 4V Liquid- cooled, SOHC | 199.5 , 4V, Liquid- cooled | 199.5 , 4V, Liquid- cooled, DOHC |
| Power (bhp@rpm) | Excellent Top Speed | 25@9250 | 18.14@10000 | 18.14@10000 | 24.2@9750 | 24.6@10000 |
| Torque (Nm@rpm) | Excellent Pick-up | 20.4@7250 | 14.2@7500 | 14.2@7500 | 18.7@8000 | 19.2@8000 |
| | | CH | IASSIS | | | |
| Frame Type | Superior Ride Handling | Steel Trellis | Deltabox | Deltabox | Perimeter Frame | Trellis |
| | | В | RAKE | · | | |
| Front Brake Disc Size (mm) | Enhanced Braking Response | 300 | 282 | 282 | 300 | 320 |
| Rear Brake Disc Size (mm) | Enhanced Braking Response | 200 | 200 | 200 | 230 | 230 |
| | | DIM | ENSION | | | |
| Kerb Weight (kg) | Easy to Handle | 163.5 | 141 | 141 | 166 | 160 |
| | | FE | ATURE | | | |
| Winkers | Enhanced Style & Visibility | LED | Halogen | LED | LED | LED |
| Adjustable Windshield | Reduced Fatigue & Enhanced Safety | ✓ | × | × | x | × |
| Auto Illuminated Headlight | Dynamic Light Sensitivity for Enhanced Convenience | ✓ | × | × | × | × |
| TBT Navigation | Seamless Journey Guidance | ✓ | × | × | × | × |
| USB Charger | Charge-on-the go | ✓ | × (Acc.) | × (Acc.) | × | × |
| Assist and Slipper Clutch | Effortless Gear Changes & Confident Downshifts | ✓ | ✓ | ✓ | × | √ |
| Headlamp | Enhanced Visibility & Safety | Projector LED with DRLs | Projector | Projector | Halogen Projector | Projector |
| Gear Indicator | Charge-on-the go | ✓ | ✓ | ✓ | × | ✓ |
| Bluetooth Connectivity | Call/SMS Alerts on the Display | ✓ | ✓ | ✓ | × | ✓ |
| | | SERVIC | E INTERVAL | | | |
| Service Interval (km) | Low Maintenance & Reduced Downtime | 6000 | 5000 | 5000 | 5000 | 5000 |

Brand A = Y R 150V4 | Brand B = YR 150 M | Brand C = BR 200 | Brand D = KRC 200







SCOOTER SEGMENT



Pleasure

Why should boys have all the fun





Connect 2.0 (In Connect Variant Only)



Bluetooth Connectivity with Call/Message Alerts



i3s Technology







Seat Backrest

| Specifications | | | | | |
|----------------|---------------|--|--|--|--|
| Di | splacement | 110.9 cc | | | |
| N | lax. Power | 6.0kW (8 BHP) @ 7000 RPM | | | |
| M | ax. Torque | 8.70 Nm @ 5500 RPM | | | |
| | Starting | Self-Start / Kick-Start | | | |
| Frame Type | | Dry, Automatic Centrifugal Clutch | | | |
| Suspension | Front | Bottom link with spring-loaded hydraulic dampers | | | |
| Suspension | Rear | Swing Arm with spring-loaded hydraulic dampers | | | |
| Brakes | Front | Internal Expanding Shoe Type (130 mm) | | | |
| Diakes | Rear | Internal Expanding Shoe Type (130 mm) | | | |
| Tyro Sizo | Front | 90/100x10-53 J (Tubeless) | | | |
| Tyre Size | Rear | 90/100x10-53 J (Tubeless) | | | |
| Fuel | Tank Capacity | 4.8 Litres | | | |

Color **Options**



Pearl Silver

White



Blue



Red





Black







Matte Vernier Grey



| SPECIFICATION | BENEFITS | PLEASURE + XTEC | BRAND A | BRAND B | BRAND C | BRAND D | BRAND E |
|---|--|--------------------|---------------|------------|-------------|-------------|---------------|
| | | | ENGI | NE | | | |
| Max power (kW @ RPM) | More powerful ride & | 6 @ 7000 | 5.75 @ 7500 | 4 @ 6500 | 5.78 @ 8000 | 5.77 @ 8000 | 5.8 @ 7500 |
| Max torque (Nm @ RPM) | better pick up | 8.7 @ 5500 | 8.8 @ 5500 | 6.5 @ 3500 | 9.03 @ 4750 | 8.9 @ 5500 | 8.8 @ 5500 |
| | | | DIMENS | IONS | | | |
| Width (mm) | Better Road | 704 | 660 | N.A | 723 | 697 | 678 |
| Height (mm) | Presence | 1161 | 1139 | N.A | 1150 | 1156 | 1286 |
| | | | BRAK | ES | | | |
| Front | Dottor Cofety with | 130mm Drum | 110mm Drum | 110mm Drum | 130mm Drum | Drum | 220 mm Disc |
| Rear | Better Safety with shorter braking distance | 130mm Drum | 130mm Drum | 110mm Drum | 130mm Drum | Drum | 130mm Drum |
| | | | FEATU | RES | | | |
| Headlamp | Enhanced Visibility & Safety | Projector LED | Halogen | Halogen | LED | LED DC | LED |
| Connect 2.0 (Connect Variant) | Better connectivity | √ | × | × | × | × | SMART XONNECT |
| Bluetooth Connectivity | with enhanced safety, security & convenience | √ | × | × | × | × | √ |
| Meter Console | Information on the go | Digi-analog | Analog | Analog | Digi-analog | Analog | Digital |
| i3s Technology | Better Mileage | ✓ | × | × | × | × | TVS INTELLIGO |
| LED Boot Lamp | Enhanced convenience | ✓ | × | × | × | × | × |
| Seat Backrest | Lillianced convenience | ✓ | × | × | × | × | ✓ |
| Panic Alert (Connect Variant) | | √ | × | × | × | × | x |
| Geofencing & Remote Immobilisation (Connect Variant) | | ✓ | × | × | × | × | x |
| Theft Alert (Connect Variant) | Enhanced safety, security & convenience | √ | × | × | × | × | × |
| Document Vault (Connect Variant) | | √ | × | × | × | x | × |
| Vehicle Diagnostics (Connect Variant) | | √ | × | × | × | × | x |
| Track Your Vehicle (Connect Variant) | | √ | × | × | × | x | × |
| USB Charger | Charge-on-the go | ✓ | ✓ | × | × | × | ✓ |

Brand A = TZ 110 | Brand B = TSP | Brand C = HD Dlx | Brand D = HA H Smart | Brand E = TJ Smart X





Ab game bada banale! Xoom Machale

SUPER 7















| Futuristic and | |
|------------------|---|
| Aerodynamic Look | |
| | q |

0-60 in 9.35 Seconds

Specifications Displacement 110.9 cc Max. Power 6.0 kW @ 7250 rpm Max. Torque 8.7 Nm @ 5750 rpm Starting Electric-Start / Kick-Start Frame Type Dry, Automatic Centrifugal Clutch Front Telescopic Hydraulic Shock Absorbers Suspension Rear Unit Swing with Spring Loaded Hydraulic Damper Front Disc 190 mm / Drum 130 mm **Brakes** Rear Drum 130 mm Front 90/90-12 54J Tyre Size Rear LX 90/90 - 12 54 J Rear VX & ZX 100/80 - 12 56 L **Fuel Tank Capacity** 5.2 Litres

Color **Options**



Pole Star Blue







Matte Abrax Orange



| SPECIFICATION | BENEFIT | HERO XOOM (ZX) | BRAND A | BRAND B | BRAND C | BRAND D |
|--|---|--------------------------------|------------------|---------------------------------|-----------------------------|--------------------------------|
| | | | ENGINE | | | |
| Max. Power (bhp @ rpm) | More powerful ride | 8.05 @ 7250 | 7.75 @ 8000 | 7.68 @ 8000 | 7.77 @ 7500 | 10.06 @ 7000 |
| Starting System | Enhanced Convinience | Electric-Start & Kick-Start | Electric Start | Electric-Start & Kick- Start | Electric-Start & Kick-Start | Electric-Start & Kick-Start |
| | | WH | IEEL & TYRE | | | |
| Wheel | Comfortable ride even on | Diamond Cut Alloy | Alloy | Sheet Metal | Alloy | Alloy |
| Rear Tyre Size | bad road patches | 100/80 - 12" | 90/100 - 10" | 90/100 - 10" | 90/90 – 12" | 110/80 - 12" |
| | | | BRAKES | | | |
| Front Brake | Better Safety with shorter braking distance | 190 mm Disc | 130 mm Drum | 130 mm Drum | 220 mm Disc | 130mm Drum |
| | | F | EATURES | | | |
| Headlamp | Increased | Projector LED | LED | LED DC | LED | Halogen |
| Tail Lamp | brightness & | LED | Halogen | Halogen | Halogen | LED |
| Corner Bending Lights | premium feel | ✓ | NA | NA | NA | NA |
| USB Port | Enhanced convenience with mobile charging facility on the go | ✓ (Front) | NA | NA | ✓ | ✓ |
| Low Fuel Indicator | Enhanced Convinience | ✓ | NA | ✓ | ✓ | ✓ |
| Bluetooth Connectivity (Call/SMS alert) | Added convenience with display of caller name and SMS | √ | NA | NA | √ | ✓ |
| LED Boot Lamp | Enhanced Convinience | ✓ | NA | NA | ✓ | ✓ |
| i3S Technology | Better Mileage with lower running cost | ✓ | NA | NA | TVS intelligo | NA |
| Meter Console | More Precise information on the go | Fully Digital | Digital Meter | Analog | Digital Meter | Digital Meter |
| RTMi | Provides real time mileage on the screen for rider convenience | √ | 1 | NA | √ | NA |
| Glove Box | Provide extra space for storage | ✓ | ✓ | NA | ✓ | NA |
| | | V | VARRANTY | | | |
| Warranty | Peace Of Mind | 5 Years/50000 km | 3 Years/36000 km | 3 Years/36000 km | 5 Years | 5 Years |

Brand A = HD HS | Brand B = HAD | Brand C = TJ SX | Brand D = TN

MAESTRO125

Truly Connected Truly Smart









Programmed Fi Engine with XSENS technology

Digital Speedometer with TBT Navigation & Bluetooth







| nnect |) (| LED Projector | Headlan |
|-------|-----|---------------|---------|
| | | | |

Specifications Displacement 124.6 cc Max. Power 6.7 kW @ 7000 rpm Max. Torque 10.4 Nm @ 5500 rpm Self-Start / Kick-Start Starting Frame Type Dry, Automatic Centrifugal Clutch Front Telescopic Hydraulic Shock Absorber Suspension Rear Unit Swing with Spring Loaded Hydraulic Damper Disc - 190 mm / Drum - 130 mm Front Brakes Rear Drum - 130 mm Front 90/90 - 12" Tyre Size Rear 90/100 - 10" **Fuel Tank Capacity** 5 Litres

Color Options



Black

Candy Blazing
Red









Prismatic Yellow



| SPECIFICATION | BENEFIT | MAESTRO EDGE 125 | BRAND A | BRAND B | BRAND C | |
|----------------------------------|---|------------------|---------------|---------------|-------------|--|
| ENGINE | | | | | | |
| Max power (kW @ RPM) | | | 7.0 @ 7500 | 6 @ 6500 | 6.11 @ 8000 | |
| | | DIMEN | ISIONS | | | |
| Width (mm) | th (mm) Better Road Presence | | 710 | 681 | 707 | |
| | | FEAT | URES | | | |
| Cluster | More Precise information on the go | Digital | Digital | Digi-Analog | Digi-Analog | |
| Turn-by-Turn Navigation | Allows rider to navigate easily | ✓ | √ | × | × | |
| Bluetooth with SMS & Call Alerts | Added convenience with display of caller name and SMS | ✓ | √ | × | × | |
| Integrated USB Charger | Enhanced convenience with increased charging capacity | ✓ | 1 | 1 | × | |
| i3S Technology | Better Mileage with lower running cost | | TVS Intelligo | TVS Intelligo | × | |

Brand A = TN | Brand B = TJ 125 | Brand C = HA 125







Sturdy Metal Body



Digi-analog Speedometer



Mobile Charger and Boot Lamp



External Fuel Cap with Buzzer



i3s Technology



Body Colored Mirror and Visor

| | | Specifications | | |
|--------------|---------------|-----------------------------------|--|--|
| Displacement | | 124.6 cc | | |
| Max. Power | | 6.69 kW @ 7000 rpm | | |
| Max. Torque | | 10.36 Nm @ 5500 rpm | | |
| Starting | | Kick / Self Start | | |
| Frame Type | | Under Bone Type | | |
| Suspension | Front | Telescopic Fork | | |
| | Rear | Single Coil Spring Hydraulic Type | | |
| Brakes | Front | Drum – Dia. 130 mm | | |
| | Rear | Drum – Dia. 130 mm | | |
| Tyre Size | Front | 90/100-10 | | |
| | Rear | 90/100-10 | | |
| Fuel | Tank Capacity | 5 Litres | | |

Color **Options**



Pearl Silver White







| SPECIFICATION | BENEFIT | DESTINI PRIME | BRAND A | BRAND B | | |
|-----------------------|---|---------------|------------|-------------|--|--|
| | | ENGINE | | | | |
| Max power (kW @ RPM) | More powerful ride & better | 6.69 @7000 | 5.8 @ 7500 | 5.77 @ 8000 | | |
| Max torque (Nm @ RPM) | pick up | 10.36 @ 5500 | 8.8 @ 5500 | 8.9 @ 5500 | | |
| | | DIMENSIONS | | | | |
| Width (mm) | Better Road Presence | 729 | 678 | 697 | | |
| | | FEATURES | | | | |
| i3S Technology | Better Mileage with lower running cost | ✓ | × | x | | |
| Speedometer | More Precise information on the go | Digi-analog | Analog | Analog | | |
| Low Fuel Alert | Enhanced Convenience | ✓ | x x | | | |
| Digital Clock | Enhanced Convenience | ✓ | × | × | | |
| Mobile Charger | Enhanced convenience with increased charging capacity | ✓ | × | × | | |
| LED Guide Lamps | Increased brightness & premium feel | √ | × | × | | |
| Boot Lamp | | ✓ | × | × | | |

Brand A = TJ 110 | Brand B = HA 110



ESTINI125 Xrec

Cool Style Hot Tech









LED Headlamp

Digi-Analog Meter Console







Retro Front Design

Programmed Fuel Injection with XSENS Technology

| | | Specifications | | |
|--------------------|-------|--|--|--|
| Displacement | | 124.6 cc | | |
| Max. Power | | 6.7 kW @ 7000 rpm | | |
| Max. Torque | | 10.4 Nm @ 5500 rpm | | |
| Starting | | Self-Start / Kick-Start | | |
| Gearbox | | Dry, Automatic Centrifugal Clutch | | |
| Cuananaian | Front | Telescopic Hydraulic Shock Absorber | | |
| Suspension | Rear | Unit Swing with Spring Loaded Hydraulic Damper | | |
| Brakes | Front | Internal Expanding Shoe Type (130 mm) | | |
| | Rear | Internal Expanding Shoe Type (130 mm) | | |
| Tyre Size | Front | 90/100 - 10 | | |
| | Rear | 90/100 - 10 | | |
| Fuel Tank Capacity | | 5 Litres | | |

Color **Options**



Black Brown



Silver







Red





Black





| SPECIFICATION | BENEFIT | DESTINI 125 XTEC | BRAND A | BRAND B | BRAND C | BRAND D | |
|-------------------------------------|--|------------------|-------------------|---------------|-------------|-------------|--|
| ENGINE | | | | | | | |
| Max power (kW @ RPM) | More powerful ride & better pick up | 6.7 @ 7000 | 7.0 @ 7500 | 6 @ 6500 | 6 @ 6500 | 6.11 @ 8000 | |
| Max torque (Nm @ RPM) | | 10.4 @ 5500 | 10.6 @ 5500 | 10.5 @ 4500 | 10.5 @ 4500 | 10.4 @ 5500 | |
| | | | DIMENSIONS | | | | |
| Width (mm) | Better Road Presence | 729 | 710 | 681 | 681 | 707 | |
| | | | FEATURES | | | | |
| Cluster | More Precise information on the go | Digi-Analog | Digital | Digi-Analog | Digital | Digi-Analog | |
| i3S Technology | Better Mileage with lower running cost | ✓ | TVS Intelligo | TVS Intelligo | × | × | |
| Bluetooth with SMS & Call Alerts | Added convenience with display of caller name and SMS | √ | 1 | × | √ | × | |
| Integrated USB Charger | Enhanced convenience with increased charging capacity | √ | 1 | √ | √ | x | |


Brand A = TN | Brand B = TJ 125 | Brand C = SA 125 | Brand D = HA 125








HERO TECHNOLOGY





Programmed Fi

Programmed Fi works by injecting appropriate amount of fuel into the cylinder, precisely calculated from the data received through the high tech sensors in the engine that feeds the engine data and environmental conditions to a central computer system called ECU Electronic Control Unit. Based on the data received from the sensors, the ECU decides the quality and timing at the fuel to be injected through the fuel injector. Thus the Programmed Fi system offers excellent ride-ability, optimum fuel efficiency, lower emission and instant start even in extreme ambient temperature conditions and higher altitudes.

Benefits

- Environment friendly
- Better ride-ability
- Economy





Patented i3s Technology for Motorcycle

Better Mileage | Less Wear and Tear of Engine Less Fuel Emission | Better Engine Life | Less Cost of Ownership

FIRST START (i3S ON)

Bike Ignition is on but engine in idling RPM

Engine Stops After 30 Sec

Engine Stops After 5 Sec (If Gear Is Engaged)

To Re-Start The Engine

Scenario

Press the Clutch, Electric Starter Switch or Kick Start

MOTOR CYCLE RUNNING (i3S ON)

Waiting at Red Light

Engine Stops After 5 Sec

Press the Clutch Lever

i3S ENGAGED DURING RIDE

i3S not engaged at beginning Waiting at Red Light

> Engine Stops After 5 Sec

Press the Clutch Lever

Conditions Required To Be Fulfilled

- Clutch not pressed & Gear not engaged
- · Throttle not operated
- RPM less than 2000
- Engine Temperature more than 75° C

Patented i3s Technology for Scooters

Better Mileage | Less Wear and Tear of Engine Less Fuel Emission | Better Engine Life | Less Cost of Ownership

FIRST START (i3S ON)

Ignition is on but engine in idling RPM

SCOOTER RUNNING (i3S ON)

Waiting at Red Light

i3S ENGAGED DURING RIDE

i3S not engaged at beginning Waiting at Red Light

Scenario

Engine Stops After 8 Sec

Engine Stops After 8 Sec

Engine Stops After 8 Sec

To Re-Start The Engine

Press the brake & throttle within 8 Minutes

Press the brake & throttle within 8 Minutes

Press the brake & throttle within 8 Minutes

61

Conditions Required To Be Fulfilled

- · Throttle not operated
- RPM less than 2200
- Engine Temperature more than 75° C

High Tensile Steel Trellis Frame

- Superior Ride Handling and High-Speed Stability
- Steel tubular trellis structure provides best-in-class torsional stiffness and great balance b/w body control and comfort.



4V Engine

- Smooth engine performance
- Less vibrations at high speed
- · Better engine life

Oil Cooled Engine

- Keeps Engine cooler than Air cooled engine by cooling the Engine oil through recirculation
- Provide long Engine oil changing interval than air cooled engine by maintaining its viscosity
- Enhance engine life than Air cooled engine by protecting engine from over-heating



Liquid Cooled Engine

- Keeps the engine cooler than the other air & Oil Cooled engines
- Can maintain performance and high speed for a long duration
- Their efficiency is much better than their aircooled and oil-cooled counterparts



Dual Over Head Cam Shaft (DOHC)

- Two dedicated camshafts control both intake and exhaust valves
- Precise valve timing and operation control
- Higher engine performance due to highly efficient airflow and combustion
- Enhanced performance suitable for high performance vehicles



5-Speed Gearbox

- 5-Speed gearbox provide additional 5th gear for rider, which results in:
- Less vibration while riding on same speed as of 4-Speed gearbox
- Improved fuel efficiency due to top speed of gear box




Slip & Assist Clutch

- A Slipper Clutch reduces the effects of engine braking.
- It also reduces wear and tear on the engine and transmission, thereby improving its durability.



- A Slipper Clutch prevents the rear-wheel from locking-up in case of any uncertain situation.
- Slipper Clutch improves the performance of the motorcycle.
- One can enjoy a tension-free ride on a bike equipped with a slipper clutch as he/ she need not worry about accidental downshifts.



Anti Lock Braking System

- · Shorter stopping distance
- Prevents Wheel Lock
- Provides better control over the bike

Dual Channel ABS

- Enhanced Safety by Preventing Wheel Lock-Up & Optimal Braking Across all Terrains
- Prevents wheel locking to avoid skidding and improve braking



Side Stand Indicator with engine cutoff

- Indicator on Instrumental Cluster
- · Enhanced Rider Safety



USD Front Forks

In Upside Down Telescopic Fork (USD Fork), the female part is at the top and male part is at the bottom.

- Structurally stronger unit
- The clamps have more metal to clamp on to creating a stronger structure
- Improves torsional stiffness with added rigidity
- Stability is improved

LED Projector Headlamp

- It provides higher illumation on the road.
- Helps the rider see better spread & more reach of light.



Corner Bending Light

- It illuminates the area to the side (Left/Right) of your vehicle, considerably increasing safety while riding in the dark or poor lighting conditions.
- The cornering light function is activated while taking a turn, depending on the leaning angle.



Connect 2.0



Safety

- Panic Alert (SOS) with Panic Switch on the Vehicle
- Accident Alert
- Topple Alert
- Overspeed Alert
- Share Your Location

Security

- Geofencing Triggered with Immobilisation
- Remote Immobilisation
- Theft/Towing Alert
- Battery Removal Alert
- Track Your Vehicle (Live Tracking)
- Find My Vehicle
- Ignition Alert

Convenience

- Vehicle Diagnostics
- Book A Service
- Low Battery Alert
- Roadside Assistance
- In-app Navigation Support
- Call/Message Alert
- Document Vault

Connect 2.0



Conectivity

- Real Time Data Display on App Dashboard
- Odometer Reading
- Temperature
- Weather
- Fuel Indicator
- Vehicle Info
- Driving Score

Advantage

 Experience Next Level of Connected Services with Smart Connectivity Features

Benefit

 Enhanced Safety, Security and Convenience





HERO SALES ENABLERS



Retail Finance: Types of Finance

TYPES OF RETAIL FINANCE SCHEMES

Normal Finance

Hypothecation Scheme

No Hypothecation Scheme


NIP

Direct Cash Collection

Card Finance

Debit Card EMI

Credit Card EMI



Retail Finance: Financer's Engagement

Financers currently in HMCL eco-system



























Card Transaction Partners






Other Financers









Retail Finance: Suvidha Finance




WHOM TO PITCH

- Anyone not having bank account/banking history
- Not able to provide cheque



BENEFITS TO CUSTOMER

- Only Aadhar Card required
- No need to visit bank month on month for EMI
- No income documents required
- No chance of EMI bounce







2-Wheelar Valuation Made Simple and Fast









Introducing India's New Age Physical 2 Wheelar Resale Platform



VALUATION OF ANY TWO-WHEELER
IN 30 SECONDS



Exchange App Process







Sales App

Access the CertX App through Sales App (Single Click Access)



Certify the 2W Health Condition using CertX App



Send for Tendering to Flash App (Single Click Broadcast)















CertX App

Quoted Prices Are Received Back into CertX App



Capture the Customer Decision & Documents and Proceed for Exchange



CertX App



DIY Video: Easy hacks to take care of your two-wheeler



Tyre Care



7 Mantras of Vehicle Storage



Battery Care



Drive Chain Care



Engine Care





HERO VALUE ADDED SERVICES



GoodLife



Rewards | Relationships | Communities | Loyalty

♦ SERVICE PERKS

- Free Vehicle Wash
- Free Nitrogen Fill
- Free Express Service
- Upto 10% discount on Accessories
- Discounted on JoyRide Renewal (AMC)
- 50% Discount on Paint Protection Treatement* and First Paid Service Labor

\odot

BENEFITS

- Upto 2 lakhs Accidental Death Insurance cover
- Invite to Digital Events,
 Sports Events &
 Engagements Campaigns
- Multiple Sweepstakes
- Rides, Rallies & Biking Expeditions

.

REWARDS

- Upto 9,000 Reward Points on Vehicle Upgrade*
- Welcome e-com. Reward Offers of up to ₹ 4800
- Reward Points on all Service & Parts Spends*
- Upto 4,500 Reward Points on Vehicle Referral Sales*
- Green Reward Points on Pollution Certificate (PUC)
- Double Points on Birthday Week
- 100 Bonus Reward Points on every Service
- 500 Bonus Reward Points on Service Continuity (every 5)



Different Club Membership

| GoodLife Membership Plans | | PLATINUM | GOLD | SILVER | PO |
|---------------------------|--|---------------------|---------------------|---------------------|-------|
| ₹ | Price | 499/- | 399/- | 299/- | 199/- |
| <u></u> | Online Shopping Offers (9x of Membership Fee) | 4800 | 2400 | 1200 | 500 |
| 1 | Welcome Bonus Points | 499 | 399 | 299 | 199 |
| ₽ | Bonus Points For 2-Wheeler Self-Referral (Upgrade) | 9000 | 8000 | 7000 | 6000 |
| ₽ | Bonus Points for 2-wheeler referrals | 4500 | 4000 | 3500 | 3000 |
| (1) | PUC Bonus Points | 150 | 125 | 100 | 75 |
| 856 | Special Offers on 2-wheeler Loans | 6.99% | 6.99% | 6.99% | 6.99% |
| | Personal Accidental Death Insurance Cover | 2 Lac for 1 year | 2 Lac for 1 year | 1 LAC FOR 1 YEAR | NA |
| 856 | Biking Expedition and Exclusive Opportunities for Multiple Sweepstakes | ✓ | √ | √ | ✓ |



Joy Ride



- 1 Year Package 4 Service / 3 Service / 2 Service / 1 Service
- 10% Discount on additional Labour Charges
- 5% discount on Engine Oil
- Free minor jobs
- Valid across any Hero Authorised workshop



Accessories



Helmet: Feature & Benefits

| | Feature | Benefits |
|------------------|-----------------------|---------------------|
| | High Impact ABS Shell | Safe & Secure |
| | Breathable Padding | Comfortable to wear |
| S YEARS Warranty | 3 Years Warranty | Trust of Hero |
| | Quick Chin Strap | Convenient to Use |









Women's Apparel




Men's Apparel



Mugs, Key Chains, Sippers



Caps, Masks, Bags



Roadside Assistance

Services that assist motorcyclist, whose vehicles have suffered mechanical failure and cannot be driven on its own power leaving the motorcyclist stranded

Assistance can be of different types:



1. Repair on Spot



2. Vehicle Towing



3. Fuel Delivery



4. Battery Jumpstart




5. Flat Tyre Support



6. Lost Key Support



Road Side Assistance - Feature







For More Details, Contact Nearest Showroom